


**Advania Póstoõ**  
Setup and instructions


# Advania Póststoð

There is a special Role Center for Poststod solution called *Advania Poststod*.

To set up *Advania Poststod* Role Center go to My Settings.



Drill down on *Role* field, chose *Advania Poststod* from *Available Roles* page, and click on *OK* button.



*My Settings*

Available Roles | 🔍 ⌵ ...



Display Name
Advania Online Banking Service
Company Hub
Advania Electronic Document Exchange
→ Advania Poststod
Advania Basic Menu
Advania Main Menu
Test Role Center
Accountant
Business Manager
Business Manager Evaluation
Service Manager
Sales Order Processor
Manufacturing Manager
Project Manager
Sales and Relationship Manager

**OK** Cancel

Available Roles

Advania Poststod Role Center will open.

CRONUS IS | ☰

Sales Orders | Transfer Orders | Warehouse Shipments | Posted Warehouse Shipments | Posted Sales Shipments | Posted Transfer Shipments

Headline

Actions

Good afternoon!

> Setup > Shipments > Get Shipments By Date > Get Shipments By Reference

● ○

Poststod Cue Card ▾

Active Shipments	Shipments with Error
0	0
>	>

Insights

My Customers ▾

Customer No. ↑	Name	Phone No.	Balance (LCY)
10000	Adatum Corporation		-238,291
20000	Trey Research		1,024,773
30000	School of Fine Art		3,509,240
40000	Alpine Ski House		598,510


My Items ▾

Item No. ↑	Description	Unit Price
1896-S	ATHENS-skrifborð	65,260
1900-S	PARIS-stóll, svartur	12,570
1906-S	ATHENS-laus fótstallar	28,270
1908-S	LONDON-skrstóll, blár	12,390


Advania Poststod Role Center

# 1. SETUP

Postod Setup can be accessed from the role center:



Or from *Service Connections* page:



*Tell me*

On *Service Connections* page click on *Advania – Poststod*



*Service Connections*

*Poststod Setup* page will open.

Edit - Poststod Setup
↗ ✕

🔌 Toggle Endpoints...
📄 Set or View Job Queue Entry
🌐 Set Google Map...
📄 Copyright Advania, Iceland
⋮
🔔

Enabled ⏻

### General

No. Series <span style="float: right;">⌵</span>	Cash on Delivery <span style="float: right;">⏻</span>
Shipping Agent Code <span style="float: right;">⌵</span>	Multiply of Gross Weig... <span style="float: right;">0</span>
Default Package <span style="float: right;">⌵</span>	

### Connection

Service URL <span style="float: right;">https://api.mappan.is/wscm</span>	Test Service URL <span style="float: right;">https://apitest.mappan.is/wscm</span>
API Key <span style="float: right;">*</span>	Test API Key <span style="float: right;">*</span>

Close

Poststod Setup

In *General* tab we can find next fields:

- *No. Series*: No. series used for creation of *Poststod Shipment Data*,
- *Shipping Agent Code*: Poststod Shipment Data can be created only from documents whit this Shipping Agent Code,
- *Default Package*: dimensions from this package will be used in Poststod Shipment Data,
- *Cash on Delivery*: if this is *true*, on all new Poststod Shipment Data *Cash on Delivery* field will be *true*,
- *Multiply of Gross Weight*: if the units of measurement of the items differ from Kg, this field is used to reduce the value of Weight field from Poststod Shipment Data to kilograms.

1.

In *Connection* tab we can find next fields:

- *Service Url*: base URL for the live server,
- *API Key*: key provided from Póststoð for the live server,
- *Test Service URL*: base URL for the test server,
- *Test API Key*: key provided from Póststoð for the test server,

2.


3. If your company doesn't have access to Póststoð, you can sign up for it through Pósturinn's business service desk. If you don't have an API key yet and you don't have access to the test environment, a key for testing purposes is:

**4F/UEh52hA86NWTQyM6+ogYGEsOC1gD19jfrw14O12E=**

To switch between test and live server use *Toggle Endpoints* action, active service will become green.

*Poststod Setup*

To set Job Queue which will retrieve and update all Poststod Shipments created in the past 30 days use *Set or View Job Queue Entry* action. This action will create (if it doesn't already exist) a *Job Queue* and open *Job Queue Entry Card* page.

*Poststod Setup*

To be able to show Recipient Address or Parcel Lockers from *Poststod Shipment Data* on the Google map, use *Set Google Map* action. This action will set Google map as default online map in Business Central. Bing map can also be used, for more about map setup check *Online Map Setup* page.

*Poststod Setup*

After all fields from *Poststod Setup* page are checked and populated, click on Enable field and close the page.

### Edit - Poststod Setup

Toggle Endpoints... Set or View Job Queue Entry Set Google Map... Copyright Advania, Iceland

You must disable the service before you can make changes. **Enabled**

#### General

No. Series	POSTSTOD	Cash on Delivery	<input type="checkbox"/>
Shipping Agent Code	POSTSTOD	Multiply of Gross Weig...	0,001
Default Package			

#### Connection

Service URL	<a href="https://api.mappan.is/wscm">https://api.mappan.is/wscm</a>	Test Service URL	<a href="https://apitest.mappan.is/wscm">https://apitest.mappan.is/wscm</a>
API Key		Test API Key	.....

Close

Poststod Setup

## 2. DOMESTIC SHIPMENT

*Poststod Shipment Data* can be created from *Sales Order*, *Posted Sales Shipment*, *Transfer Order*, *Posted Transfer Shipment*, *Warehouse Shipment* and *Posted Whse. Shipment*.

1. For testing purpose, to create *Poststod Shipment Data*, Navigate to *Sales Orders*.




*Tell me*

2. Choose the Sales Order with domestic Customer for which *Poststod Shipment Data* will be created.

No. ↑	Sell-to Customer No.	Sell-to Customer Name	External Document No.	Location Code	Assigned User ID	Document Date	Status	Compl... Shipped
101001	10000	Adatum Corporation				4/2/2021	Open	No
101002	10000	Adatum Corporation				5/1/2021	Open	No
101003	30000	School of Fine Art				4/22/2021	Open	No
101004	40000	Alpine Ski House				5/13/2021	Open	No

*Sales Order List*

3. *Sales Order* card page will open, click on the *Poststod Shipment* action



*Sales Order*

If *Agent* field from *Shipping and Billing* tab on *Sales Order* is different than *Shipping Agent Code* from *Poststod Setup*, an error will occur.

Shipping Agent Code must be equal to 'POSTOD' in Sales Header: Document Type=Order, No.=101001. Current value is 'FEDEX'.

Detailed information >

OK

Error Message

4. *Poststod Shipment Data Card* page will open. Shipping data from the order is automatically pulled into the *Poststod Shipment Data* to speed up the creation process.

← Poststod Shipment Data Card


✓ Saved

## PO000001

New
 Apply Size from Package
 Calculate Charges
 Create Poststod Shipment
...

### General

Source No. .... 101001	Address 2 .....
Source Type .... Sales Order	Parcel Locker .....
Recipient No. .... 10000	Post Code .... 810
Recipient Name .... Adatum Corporation	City .... Reykjavik
Recipient Registratio... ..	Country Code .... IS
Attention .....	Mobile Phone .....
Address 1 .... Station Road, 21	Email .... alvaro.carrera@contoso.com

### Package

Delivery Service Id ... * .....	Width .....
Number Of Items .... 1	Height .....
Weight .....	Charges Amount .....
Length .....	

### Options

Instructions For Non ... . Return via airmail	Description .....
Number Of Certificates . 0	Express .....

Shipment Data Card

5. Drill down on the *Delivery Service Id* field and a list of available delivery services which is generated from Póststoð web service will pop up. Which delivery service will be available depends on input parameters. Input parameters used are: *Country Code, Post Code, Weight, Length, Width and Height* field (If dimensions are used, make sure all three of them are populated).

Only the delivery services the webshop **has enabled** will show up in this call.

- a. *Delivery Service List* page will open, to open *Delivery Service Card* page click on *Delivery Service Id* field of desired delivery service from the list.

### Delivery Service List | 🔍 ⌵ ...



Delivery Service Id ↑	Long Name	Description	Description Words	Price
DPH	Pakki Heim	Sendingar eru almennt keyrðar...	Keyrt heim, Tryggt að 22.500 kr,...	
→ <u>DPP</u>	Pakki Pósthús	Fáðu sendinguna á pósthúsið n...	Sækir á næsta Pósthús, Tryggt a...	

*Delivery Service List*

- b. *Delivery Service Card* page will open, this card includes information about selected delivery service.

**View - Delivery Service Card - DPP**
↗ ✕

---

Manage
Page

---

**General**

Delivery Service Id ..... DPP	Description Words ..... Sækir á næsta Pósthús, Tryggt að...
Long Name ..... Pakki Pósthús	Weight ..... 1,00
Short Name ..... Pósthús	Weight Unit ..... KG
Description ..... Fáðu sendinguna á pósthúsið n...	Estimated Delivery Time .....

**Price**

Currency Code ..... ISK	Netto Price ..... 790,17
Price Weight ..... 1,25	VAT Price ..... 189,64
Brutto Price ..... 980,00	VAT % ..... 24,00

**Optional Services**

Cash on delivery ..... <input checked="" type="checkbox"/>	Insurance ..... <input type="checkbox"/>
Contract Attached ..... <input type="checkbox"/>	Large ..... <input type="checkbox"/>
Deliver To Recipient O... .. <input type="checkbox"/>	Large Included ..... <input type="checkbox"/>
Delivery Advice ..... <input type="checkbox"/>	Pallet ..... <input type="checkbox"/>
Express ..... <input type="checkbox"/>	Recipient Pays Postage .. <input type="checkbox"/>
Fragile ..... <input type="checkbox"/>	Reference ..... <input type="checkbox"/>
Fragile Included ..... <input type="checkbox"/>	Return Allowed ..... <input type="checkbox"/>

**Restrictions**


Max Number Of Items ... 99	Max Height ..... 1500
Max Length ..... 3000	Max Weight ..... 10
Max Width ..... 1500	Max Weight Unit ..... KG

Close

*Delivery Service Card*

There are several tabs on *Delivery Service Card* page:

- General tab: include some basic information about delivery service,
  - Price tab: include price information calculated based on input parameters (*Country Code, Post Code, Weight, Length, Width and Height*) from *Shipment Data Card* page.
  - Optional Services: shows which services are available by chosen delivery service.
  - Restrictions tab: shows some limitation of chosen delivery service.
- a. Close *Delivery Service Card* page, select the desired delivery service on *Delivery Service List* page, and click on OK button.
6. If the selected delivery service is "Póstbox" or "Pakkaport" (aka DPO/DPT aka parcel lockers) then the Parcel Locker field should be updated to the Name of the selected parcel locker, and the recipient's *Post Code* field to the Post Code of the parcel locker, to do that drill down on the *Parcel Locker* field.



Poststod Shipment Data Card

PO000001

New Apply Size from Package Calculate Charges Create Poststod Shipment

**General**

Source No. ....	101001	Address 2 .....	
Source Type .....	Sales Order	Parcel Locker .....	...
Recipient No. ....	10000	Post Code .....	810
Recipient Name .....	Adatum Corporation	City .....	Reykjavik
Recipient Registratio...		Country Code .....	IS
Attention .....		Mobile Phone .....	
Address 1 .....	Station Road, 21	Email .....	alvaro.carrera@contoso.com

*Shipment Data Card*


- a) *Parcel Lockers* page will open, this is a list of the closest lockers to *Post Code* field value from *Shipment Data Card*. The list is generated from Póststoð web service. Parcels delivered to these lockers have a 20kg weight limit. To show *Parcel Locker* on map, select desired *Parcel Locker* and click on *Show On Map* action

Parcel Lockers - Postbox

Parcel Locker ID	Name			Address
→ IS110A	Póstbox Húsgagnahöllin,		Reykjavík	Bildshöfða 20
9511	Póstbox Hraunbæ við Orkuna	110	Reykjavík	Hraunbær 102
9529	Keba Póstbox 29	110	Reykjavík	Höfðabakki 9 D
IS109A	Póstbox Nettó Mjódd	109	Reykjavík	Mjódd
IS210A	Póstbox Spönginni við Hagkaup	112	Reykjavík	Fossaleyni 6
IS104A	Póstbox Skeifan	108	Reykjavík	Faxafen 7
9526	Póstbox Efstalandi	108	Reykjavík	Efstalandi 26
IS201A	Póstbox Smáralind aðalinngangur	201	Kópavogur	Hagasmára 1
9522	Póstbox Salavegi	201	Kópavogur	Salavegi 2
IS101B	Póstbox Kringlan	103	Reykjavík	PÓSTBOX KRINGLAN
IS220A	Póstbox Atlantsólía Kaplakrika	220	Hafnarfjörður	Kaplakrika
IS101A	Póstbox Granda	101	Reykjavík	Fiskislöð 15-21
9524	Póstbox Engihjalla	200	Kópavogur	Engihjalla 8
9528	Póstbox Dalvegi	200	Kópavogur	Dalvegi 18
9533	Póstbox Hamraborg	200	Kópavogur	Hamraborg
9502	Póstbox Rauðhella	221	Hafnarfjörður	Rauðhella 1


Parcel Lockers

- b) A selection dialog will pop-up, choose what should show on the map and click on *OK* button.



Selection dialog

- c) Depending on the *Online Map Setup*, Bing, Google or some other map web page will be opened.



Google map web page

- d) Go back to *Parcel Lockers* page, select the desired Parcel Locker and click on *OK* button.

Parcel Locker ID	Name	Post Code	City	Address
IS110A	Póstbox Húsgagnahöllin, Bildshö...	110	Reykjavík	Bíldshöfða 20
9511	Póstbox Hraunbæ við Orkuna	110	Reykjavík	Hraunbær 102
9529	Keba Póstbox 29	110	Reykjavík	Höfðabakki 9 D
IS109A	Póstbox Nettó Mjódd	109	Reykjavík	Mjódd
→ IS210A	Póstbox Spönginni við Hagkaup	112	Reykjavík	Fossaleyni 6
IS104A	Póstbox Skeifan	108	Reykjavík	Faxafen 7
9526	Póstbox Efstalandi	108	Reykjavík	Efstalandi 26
IS201A	Póstbox Smáralind aðalinngangur	201	Kópavogur	Hagasmára 1
9522	Póstbox Salavegi	201	Kópavogur	Salavegi 2
IS101B	Póstbox Kringlan	103	Reykjavík	PÓSTBOX KRINGLAN
IS220A	Póstbox Atlantsólía Kaplakrika	220	Hafnarfjörður	Kaplakrika
IS101A	Póstbox Granda	101	Reykjavík	Fiskislóð 15-21
9524	Póstbox Engihjalla	200	Kópavogur	Engihjalla 8
9528	Póstbox Dalvegi	200	Kópavogur	Dalvegi 18
9533	Póstbox Hamraborg	200	Kópavogur	Hamraborg
9502	Póstbox Rauðhella	221	Hafnarfjörður	Rauðhella 1

Parcel Lockers

e) After that, *Parcel Locker* and *Post Code* fields from Shipment Data Card page will be updated.

← Poststod Shipment Data Card ✓ Saved

PO000001

---

**General**

Source No. .... 101001	Address 2 .....
Source Type .... Sales Order	Parcel Locker ..... Póstbox Spönginni við Hagka...
Recipient No. .... 10000	Post Code ..... 112

Shipment Data Card

7. To change dimension fields (*Length, Width, Height*) from Shipment Data click on *Apply Size from Package* action.

Poststod Shipment Data Card

PO000001

**General**

**Package**

Delivery Service Id	DPP	Width	0
Number Of Items	1	Height	0
Weight	0.96	Charges Amount	0
Length	0		

Shipment Data Card

8. *Poststod Packages* page will open. Create new package or select existing one and click on *OK* button. Dimensions from selected package will apply to dimensions from Shipment Data.

Poststod Packages

Code ↑	Description	Height (cm)	Length (cm)	Width (cm)
→ LARGE	Large box	20	35	25
MEDIUM	Medium box	15	30	20
SMALL	Small box	10	25	15


Poststod Packages

**Package**

Delivery Service Id	DPO	Width	25
Number Of Items	1	Height	20
Weight	0.96	Charges Amount	0
Length	35		


Shipment Data Card – Package tab

9. To send Shipment Data and create Shipment through Póststoð web service, click on *Create Poststod Shipment* action.




Shipment Data Card

10. To see created *Poststod Shipments* for source document click on *Poststod Shipments* action.




Shipment Data Card

11. To download shipment label for created *Poststod Shipment* click on *Get Label* action.




Shipment Data Card

- a) To see downloaded file click on *Open file* in downloads part from browser, or open download folder from browser settings.



*Downloads part of Edge browser*



*Downloaded PDF file of shipment label*

- b) Close the file and go back to *Poststod Shipment Data Card* page.

12. To create new *Shipment Data* and new *Poststod Shipment* for the same source document, click on the *New* action.

← Poststod Shipment Data Card ✓ Saved

PO000001

✕ Poststod Shipment CF883315639IS is created from this Shipment Data.

New
Apply Size from Package
Calculate Charges
Create Poststod Shipment
⋮

---

**General**

Source No. ....	101001	Address 2 .....	
Source Type .....	Sales Order	Parcel Locker .....	

*Shipment Data Card*

New Shipment Data Card page will be opened.

← Poststod Shipment Data Card ✓ Saved

PO000002

New
Apply Size from Package
Calculate Charges
Create Poststod Shipment
⋮

---


**General**

Source No. ....	101001	Address 2 .....	
Source Type .....	Sales Order	Parcel Locker .....	⋮
Recipient No. ....	10000	Post Code .....	810
Recipient Name .....	Adatum Corporation	City .....	Reykjavik

*Shipment Data Card*

### 3. INTERNATIONAL SHIPMENT

In case of an international customer, everything is the same except there is additional tab in *Shipment Data Card* page.



Poststod Shipment Data Card

PO000003

New Apply Size from Package Calculate Charges Create Poststod Shipment

**General**

Source No. 101004 Address 2

Source Type Sales Order Parcel Locker

Recipient No. 40000 Post Code DE-80807

Recipient Name Alpine Ski House City München

Recipient Registratio... 40000 Country Code DE

Attention Mobile Phone

Address 1 Walter-Gropius-Strasse 5 Email ian.deberry@contoso.com

**\* Package >**

**Options >**

**International**

Export Customs Decl... Value For Customs C... \*

Description Of Conte... \* hs Tariff Number 0

Goods Quantity 0 Country Of Origin IS

Value For Customs 0

*Shipment Data Card*

International shipments can have only one parcel per shipment, and for international shipments Email address of recipient is required. If it is not known, use your own email address instead.

### 4. POSTSTOD SHIPMENTS

1. To see created Poststod Shipments navigate to *Poststod Shipments*.

CRONUS IS | ☰

[Sales Orders](#) [Transfer Orders](#) [Warehouse Shipments](#) [Posted Warehouse Shipments](#) [Posted Sales Shipments](#) [Posted Transfer Shipments](#)

Headline


Good afternoon!

Actions

[> Setup](#)[> Shipments](#)[> Get Shipments By Date](#)[> Get Shipments By Reference](#)*Tell me*

Poststod Shipments page will be opened.

2. To see more information about the shipment, click on *Shipment Id* field of the desired *Poststod Shipment*.



Shipment Id	Acti...	Status Code	Status Text	Status Location	Status Date Time	De
CF8833156...	<input type="checkbox"/>	100	Vætanlegt frá sendanda		9/21/2021 3:52 PM	

*Poststod Shipments*

3. *Poststod Shipment* page will open.



Poststod Shipment



# CF883315639IS

- Update Shipment
- Get Label
- Get Signature
- Print Shipment
- Open Source Document

## General

Shipment Id	CF883315639IS	Dues Unpaid	0
Source Type	Sales Order	Dues Total	0
Source No.	101001	Dues Currency	
Status Code	100	Dues Unknown	<input type="checkbox"/>
Status Text	Væntanlegt frá sendanda	Error Text	
Status Location		Order Creation Date ...	9/21/2021 3:52 PM
Status Date Time	9/21/2021 3:52 PM	Posting Date Time	
Customer Id	101302559	Delivery Date Time	
Registration Key	j8Ou2TmnUz	Active	<input checked="" type="checkbox"/>
Payment Status		Printed	<input type="checkbox"/>

## Recipient >

Items					
Line No. ↑	Item Id	Description	Weight	Height	Length
→ 1	CF883315639IS		0	0	0

*Poststod Shipment*

- To update the status of opened Shipment click on *Update Shipment* action. This action will update Poststod Shipment record according to latest information from the Póststoð web service.




*Poststod Shipment*

- To get the list of created Poststod Shipments in some period with latest information from the Póststoð web service, navigate to *Get Poststod Shipments by Date*.



*Tell me*

- Get Poststod Shipments by Date* request page will open. Insert start and end date and click on OK button.



*Get Poststod Shipments by Date request page*

- Poststod Shipments* page with updated and filtered records by date will be opened.

← Poststod Shipments 🔖 📄 🔗

🔍 Search   Manage   🔄 Update Shipment   📄 Get Label   🖋️ Get Signature   🖨️ Print Shipment   ⋮   🏠 🔍 ☰

Shipment Id ↑	Acti...	Status Code	Status Text	Status Location	Status Date Time	De
<a href="#">CF0831123...</a>	<input type="checkbox"/>	100	Expected from sender		5/16/2019 12:58 ...	
<a href="#">CF0831133...</a>	<input type="checkbox"/>	100	Expected from sender		6/19/2019 6:00 PM	
<a href="#">CF0831133...</a>	<input type="checkbox"/>	100	Expected from sender		6/19/2019 6:03 PM	
<a href="#">CF0831133...</a>	<input type="checkbox"/>	100	Expected from sender		6/19/2019 6:03 PM	
<a href="#">CF0831137...</a>	<input type="checkbox"/>	100	Expected from sender		7/4/2019 4:14 PM	
<a href="#">CF0831137...</a>	<input type="checkbox"/>	100	Expected from sender		7/5/2019 11:19 AM	
<a href="#">CG0020145...</a>	<input type="checkbox"/>	100	Expected from sender		7/4/2019 4:15 PM	Cc
<a href="#">CG0020145...</a>	<input type="checkbox"/>	100	Expected from sender		7/5/2019 11:20 AM	Cc
<a href="#">SM000325...</a>	<input type="checkbox"/>	100	Expected from sender		5/20/2019 6:18 PM	

*Poststod Shipments*

- To get the list of created Poststod Shipments with latest information from the Póststoð web service filtered by the supplied Reference (if it is supplied), navigate to *Get Poststod Shipments by Reference*.

CRONUS IS | ☰

Sales Orders   Transfer Orders   Warehouse Shipments   Posted Warehouse Shipments   Posted Sales Shipments   Posted Transfer Shipments

Headline

Want to learn more about Business Central?

Actions

- > Setup
- > Shipments
- > Get Shipments By Date
- > [Get Shipments By Reference](#)

*Tell me*

- Get Poststod Shipments by Reference* request page will open. Insert reference and click on OK button.

## Get Poststod Shipments by Reference




Retrieves all shipments by the reference you supplied (if you supplied one) upon shipment registration.

Reference .....

Advanced >

Get Poststod Shipments by Reference request page

10. *Poststod Shipments* page with updated and filtered records by reference will open.



Poststod Shipments

Search Manage Update Shipment Get Label Get Signature Print Shipment

Shipment Id	Acti...	Status Code	Status Text	Status Location	Status Date Time	De
<a href="#">CF8832605...</a>	<input type="checkbox"/>	100	Expected from sender		8/5/2021 3:00 PM	

Poststod Shipments

11. If there is more than one Item in *Poststod Shipment*, each item represents a parcel. Domestic shipments can contain more than one parcel, but international shipments can only contain one. If domestic shipments contain x amount of parcels, x amount of labels are printed out for the shipment. One of the labels will be printed with the 'parent' shipment ID and the others will be printed with almost the same ID, except the 2 last letters will be changed into sequential numbers. To see more information for items with non 'parent' shipment ID drill down on *Item Id* field from *Items* part of *Poststod Shipment* page.

← Poststod Shipment ✎ ↗ + 🗑️

# CF883260515IS

🔄 Update Shipment
📄 Get Label
📄 Get Signature
🖨️ Print Shipment
📄 Open Source Document

Source Type		Dues Total	0
Source No.		Dues Currency	
Status Code	100	Dues Unknown	<input type="checkbox"/>
Status Text	Expected from sender	Error Text	
Status Location		Order Creation Date	8/5/2021 3:00 PM
Status Date Time	8/5/2021 3:00 PM	Posting Date Time	
Customer Id	101302559	Delivery Date Time	
Registration Key	fxL76JA7Sz	Active	<input type="checkbox"/>
Payment Status		Printed	<input type="checkbox"/>

**Recipient** >

Items <span style="float: right;">↗ 📄</span>						
Line No. ↑	Item Id	Description	Weight	Height	Length	
→ 1	CF883260515...		0	0	0	
2	CF883260515...		0	0	0	
3	CF883260515IS		0	0	0	

*Poststod Shipment*

12. New *Postod Shipment* page will be opened.

← ...tstod Shipment | Work Date: 12.4.2021
↶ ↷

↶ ✕

### View - Poststod Shipment - CF88326051500

Manage 🔄 Update Shipment 📄 Open Source Document Page

#### General

Shipment Id ..... CF88326051500	Dues Unpaid ..... 0,00
Source Type ..... Sales Order	Dues Total ..... 0,00
Source No. .... 101001	Dues Currency .....
Status Code ..... 100	Dues Unknown ..... <input checked="" type="checkbox"/>
Status Text ..... Expected from sender	Error Text .....
Status Location .....	Order Creation Date T... 5.8.2021 13:00
Status Date Time ..... 5.8.2021 13:00	Posting Date Time .....
Customer Id ..... 101302559	Delivery Date Time .....
Registration Key ..... fxL76JA7Sz	Active ..... <input checked="" type="checkbox"/>
Payment Status .....	Printed ..... <input checked="" type="checkbox"/>

#### Recipient >

##### Items 📄

Line No. ↑	Item Id	Description	Weight	Height	L
→ 1	CF88326051500		0,00	0,00	

Close

*Poststod Shipment*